












For safety critical components please contact Labgruppen for the right manufacturer							
Item number	Safety Critical	Item name	Replaces	Designator	Service level		
Power Amp-supply		See Restriction nr3 on how to find our item names			1	2	3
SP10A10D-06Bc		SMPS 1kW Forward+Amplifier Module 1 kW class D rev.06 ver.Bc	Replaces all revisions of SP10A10D type B				x
FQP8N80C		Transistor Mosfet N-Channel 8A 800V TO-220		Q102			x
IRFB5615		Transistor Mosfet N-Channel 35A 150V TO-220		Q205, Q211, Q214, Q217			x
PCSPCO10A12VB		Relay Pcb Single Pole Change Over 10a 12v type B		RE101			x
V150LA20BP		Varistor V150LA20BP		VDR100, VDR101			x
4700u80V35x30		Capacitor Electrolytic 4700u 80V 35x30mm		C103, C113			x
T3A15H250-5x20		Fuse Slow Blow 3.15AH 250v 5x20mm		F100			x
CLGWB		Clip Gull Wing type B		CL1			x
CLTO220x2GW		Clip TO220x2 Gull Wing		CL2, CL3, CL4			x
ISAO28X17		Insulator Aluminium Oxide 28x17mm	Replaces single insulator on all SP10A10D type B	IN10, IN11, IN12			x
TSCTO220B		Thermo-Silocone Cap TO-220 type B		IN9			x
NTC100KPEFILM		Resistor Ntc 100k Pe Film		NTC1, NTC201			x
NTC10R		Resistor Inrush Current Limiter 10R 3.7A 20%		NTC100			x
IRF7416		TRANSISTOR MOSFET 30V IRF7416 SO-8		Q110			x
GBU604		Diode Bridge Rectifier GBU604 6A 400V		D101			x

E8:2












Part list

FEP16GT		Diode Power Rectifier FEP16GT 16A 400V		D126, D130			x
47N2001206X7R10%		CAPACITOR 47N 200V SURFACE MOUNTED 1206 X7R 10%		C203, C207			x
100N1001206X7R10%		CAPACITOR 100N 100V SURFACE MOUNTED 1206 X7R 10%		C200, C232, C233, C262			x
TOP253PN		Ic Switcher Offline TOP253PN 8DIP		IC110			x
F6A3250-R2M		Fuse fast blow 6.3A 250V Radial 8.35x7.7mm 2 Modules		F1, F2			x
IRF7807		TRANSISTOR MOSFET N-CHANNEL 6.6A 30V SO-8		Q109, Q111			x
IRS20956S		Ic Digital Audio Driver IRS20956S		IC201, IC205			x
ES1D		Diode Ultra-fast ES1D 1A 100V SMA		D114, D116, D118, D120			x
MC33078D		IC Operational Amplifier MC33078D SOIC-8					x
330u200V22x30		Capacitor Electrolytic 330u 200V 10mm 22x30		C109, C118			x

Power Amp							
A11D-04Ac		Amplifier Module 1.1kW class D rev.04 vers.Ac	Replaces all revisions of A11D type A and F01				x
IRFB5615		Transistor Mosfet N-Channel 35A 150V TO-220		Q205, Q211, Q214, Q217			x
CLTO220x2GW		Clip TO220x2 Gull Wing		CL1, CL2			x
47N2001206X7R10%		CAPACITOR 47N 200V SURFACE MOUNTED 1206 X7R 10%		C203, C207			x
100N1001206X7R10%		CAPACITOR 100N 100V SURFACE MOUNTED 1206 X7R 10%		C200, C232, C233, C262			x
NTC100KPEFILM		Resistor Ntc 100k Pe Film		NTC201			x
F6A3250-R2M		Fuse fast blow 6.3A 250V Radial 8.35x7.7mm 2 Modules		F1, F2			x
IRS20956S		Ic Digital Audio Driver IRS20956S		IC201, IC205			x






E8:2













Part list

ISAO28X17		Insulator Aluminium Oxide 28x17mm	Replaces single insulator on all A11D type A	IN6, IN7				x
INPUT and OUTPUT								
AICO2C-05Bb		AICO 2channel type C rev.05b ver.Bb	Replaces all revisions of AICO2C type B and F02					x
VR10KLIN21H		Potentiometer 10k Lin 21step Horizontal		VR1, VR101				x
SLSV1-1PC901M		Switch Slide singel vertical SPDT on-on PCB 90dg 1M		S1, S101, S102, S2				x
TBPI3P90M2M		Terminal Block Plug In 3pole 90dg Male 2module		P102, P2				x
TBPI2P90F3M		Terminal Block Plug In 2pole 90dg Female 3 Modules		P104, P4				x
TBPI4P90M2M		Terminal Block Plug In 4pole 90dg Male 2module		P404				x
IECC14-PA-PC		IEC Inlet Type C14. Panel Mount PCB		P409				x
PBSPDTV9-2		Push button Single Pole Double Throw Vertical PCB mount	Replacement for AICO2C revision 05 type XXX	SW403				x
PB3FTL6RAS		Switch Push button Pcb 3FTL6RAS	Replacement for AICO2C revision 04 type XXX	SW403				x
Cables								
CAC2x31M260		Cable Assembly Contact 2x3pole 1M L260mm						x
CAC2x41M140		Cable Assembly Contact 2x4pole 1M L140mm						x
CAC2x71M145		Cable Assembly Contact 2x7pole 1M L145mm						x
Chassis								
EFPH-E8-2		Exterior Front Panel Type H for E8:2						x
CH1UC		Chassi 1 Unit type C						x

E8:2

















Part list

INAICO4		Insulation Aico4					x
INAICO2C		Insulation Aico2C					x
TCE-PVC		Top Cover for E-series PVC coated					x
SRPE8-2B		Sticker Rear Panel E8-2 Type B				x	
SRPE8-2CD		Sticker Rear Panel E8-2 China Type D				x	
DCS1UB-PBLK		Dustfilter Clip Steel Unit type B Painted Black					x
Miscellaneous							
F40x28-12		Fan 40x40x28mm 12vdc					x
KNBD12H3POS		Knob D12 H3 Black Push-on Slot					
UI7LA02b-F01		User Interface 7led type A rev.02b Final assembly type 01					x
KNBSB3FTL6RAS		Knob for switch Push button 3FTL6RAS	Replacement for AICO2C revision 04 type XXX				x
KNBD13H7		Knob D13 H7 Black	Replacement for AICO2C revision 05 type XXX				x
FS30x12x2.7		Foam Sticker 30x12x2.7mm					x
PPEFP1UA		Packing PE Foam Profile 1 Unit type A			X		
QSG-ES-1.1.3		Quick Start Guide for E series Rev. 1.1.3			X		
K-IES2CH		Kit Installation E-series 2ch				x	
PEPPC1UB		Packing EPP Corner 1 Unit type B			X		
B535x376x115LAB3		Box 535x376x115mm type 0427 Cardboard White Lab.gruppen 3				x	
MLUS30A3x12AWG2 m		Mains Lead Usa 30a Plug Type Nema L5-30p 3xawg12 2m Black					X
PLGD2X1P		Plastic Light Guide D2mm 1 pole					x
PLG2X8X1P		Plastic Light Guide 2x8mm 1 pole					x

















List of all safety critical components for E8-2						
SP10A10D						
0R202W1%2512		RESISTOR CHIP 0.20R 2W 1% SURFACE MOUNTED 2512		R134		x
15UHFQP-26/20		INDUCTOR 15UH FQP-26/20 CORE		L200, L203		x
1K5.25W1%1206		RESISTOR 1K5 .25W 1% SURFACE MOUNTED 1206		R196, R197, R198, R199, R257, R260		x
2N2Y10		CAPACITOR 2N2 Y2 METALLIZED PAPER 10MM		C100		x
470K.25W1%1206		RESISTOR 470K .25W 1% SURFACE MOUNTED 1206		R103, R108, R113		x
4N7Y10		CAPACITOR 4N7 Y2 METALLIZED PAPER 10MM		C114, C115		x
4R7.125W1%0805		RESISTOR 4R7 .125W 1% SURFACE MOUNTED 0805		R100		x
F6A3250-R2M		FUSE FAST BLOW 6.3A 250V RADIAL 8.35X7.7MM 2 MODULES		F1, F2		x
FBLPPC5X209M		FUSEBLOCK LOW PROFILE PCB 5X20MM FUSE 9M		FH102		x
INSP10A10D		INSULATION FOR SP10A10D		IN1		x
ISAO28X17		INSULATOR ALUMINIUM OXIDE 28X17MM		IN10, IN11, IN12		x
ISSR28X35		INSULATOR SILICON RUBBER 28X35MM		IN8		x

E8:2








Part list











MH2X41ML		MOUNTING HEADER 2X4POLE 1MODULE LOCKING	CON3				x
MH2X71ML		MOUNTING HEADER 2X7POLE 1MODULE LOCKING	CON2				x
NTC100KPEFILM		RESISTOR NTC 100K PE FILM	NTC1, NTC201				x
NTC10R		RESISTOR INRUSH CURRENT LIMITER 10R 3.7A 20%	NTC100				x
PCSPCO10A12VB		RELAY PCB SINGLE POLE CHANGE OVER 10A 12V TYPE B	RE101				x
PH6PL3.96_AMP		PIN HEADER PCB 6POLE LOCKING 3.96MM AMP 640445-6	CON1				x
SFH615A-2X006		IC OPTOCOUPLER SFH615A-2X006 DIP-4	PE101, PE102, PE103				x
SP10A10D-06		PCB SMPS 1KW FORWARD+AMPLIFIER MODULE 1 KW CLASS D REV.06	PCB				x
SPBA70.27A		STICKER PBA70.27A UL RECOGNIZED FOR SP10A10D- XXAX	ACC4				x
T13WFEF20		TRANSFORMER 13W FLYBACK EF20 CORE	T101				x
T200WFEER35L		TRANSFORMER FORWARD 200W FEER-35L CORE	U5				x
T3A15H250-5X20		FUSE SLOW BLOW 3.15AH 250V 5X20MM	F100				x
TMPOPC4.8X.5		TERMINAL MALE PUSH ON PCB 4.8MM X 0.5MM	CON4, CON5				x
TSCTO220B		THERMO-SILOCONE CAP TO-220 TYPE B	IN9				x
U22X15		CAPACITOR 220N X2 METALLIZED PROPYLENE 15MM	C107, C108				x
V150LA20BP		VARISTOR V150LA20BP	VDR100, VDR101				x
A11D							

Part list

15UHFQP-26/20		INDUCTOR 15UH FQP-26/20 CORE	L200, L203				x
A11D-04		PCB AMPLIFIER MODULE 1.1 KW CLASS D REV.04	PCB				x
F6A3250-R2M		FUSE FAST BLOW 6.3A 250V RADIAL 8.35X7.7MM 2 MODULES	F1, F2				x
INA11D		INSULATION FOR A11D	IN1				x
ISAO28X17		INSULATOR ALUMINIUM OXIDE 28X17MM	IN6, IN7				x
MH2X41ML		MOUNTING HEADER 2X4POLE 1MODULE LOCKING	CON3				x
NTC100KPEFILM		RESISTOR NTC 100K PE FILM	NTC201				x
PH6PL3.96_AMP		PIN HEADER PCB 6POLE LOCKING 3.96MM AMP 640445-6	CON2				x
AICO2C							
1N250VY2Y5P10		CAPACITOR CERAMIC 1N Y2 Y5P 10MM	C427, C428				x
47NX15		CAPACITOR 47N X2 METALLIZED PAPER 10MM	C426				x
AICO2C-05		PCB ANALOGUE INPUT CONTROL 2CH TYPE C REV 05	PCB				x
CAC2X41M140		CABLE ASSEMBLY CONTACT 2X4POLE 1M L140MM	P1, P101				x
CAC2X71M145		CABLE ASSEMBLY CONTACT 2X7POLE 1M L145MM	P401				x
CACTFPO2PX205		CABLE ASSEMBLY CRIMP TERMINAL FEMALE PUSH ON, 2POLE L205MM	CAB3				x
CACTFPOBLOR360		CABLE ASSEMBLY CTFPO, TWISTED BLACK/ORANGE L360MM	CAB2				x
CACTFPOBLWH320		CABLE ASSEMBLY CTFPO, TWISTED BLACK/WHITE L320MM	CAB1				



Part list

CPC1035N		RELAY SOLID STATE SPNO CPC1035 SURFACEMOUNTED	U406				x
IECC14-PA-PC		IEC INLET C14 . PANEL MOUNT PCB	P409				x
LGRND3LYH		DIODE LED GREEN D3MM LYING WITH HOLDER	D103, D3				x
PBSPDTV9-2		PUSH BUTTON SINGLE POLE DOUBLE THROW VERTICAL PCB MOUNT	SW403				x
TBPI2P90F3M		TERMINAL BLOCK PLUG IN 2POLE 90DG FEMALE 3 MODULES	P104, P4				x
TBPI3P90M2M		TERMINAL BLOCK PLUG IN 3POLE 90DG MALE 2MODULE	P102, P2				x
TBPI4P90M2M		TERMINAL BLOCK PLUG IN 4POLE 90DG MALE 2MODULE	P404				x

Miscellaneous							
MLUS5-15-C13		Mains Lead Grounded Us Plug Nema 5-15 + Connector C13					x
TCE-PVC		Top Cover for E-series PVC coated					x
INAICO2C		Insulation Aico2C					x
CASO6P3.96L55		Cable Assembly Socket 6pole 3.96mm L55mm					x
INAICO4		Insulation Aico4					x
CH1UC		Chassi 1 Unit type C					x
SRPE8-2CCC		Sticker Rear Panel E8-2 Type CCC				x	
SAAT		Sticker Altitude And Tropics				x	
SPCCC		Sticker Power Type CCC				x	
MLCNCH1-10P-C13		Mains Lead China Plug Type CH1-					x

E8:2

Part list

		10P + Connector C13					
MLEUCEE7-C13		Mains Lead Grounded Eu Plug Cee7/vii + Connector C13					x
MLUS5-15-C13		Mains Lead Grounded Us Plug Nema 5-15 + Connector C13					x