





SCHEMATIC DIAGRAM



ITEM	DESCRIPTION		QTY
CAPACITOR	C1	8u2F POLYPROPYLENE, 100V/5% DMT	1
	C2	18.uF /DF5%	1
	C3	0.47uF /MKT	1
	C4	5.6uF /DF10%	1
COIL	L1	0.1mH/0.3R	1
	L2	0.75mH/0.15R I-42	1
RESISTOR	R1	3R0/5W	1
	R2	2R7/5W	1
	R3	10R/5W	1
	R4	0R22/5W	1

TERMINATION PANEL - SINGLE WIRE  
AS PER APPROVED SAMPLE

WIRING - SILVER PLATED OFC  
AS PER APPROVED SAMPLE

Part No.		7300 1284
First used on		MERC V1
Issues		A 06/11/09 MS
B	25/01/10 MS	
	C4 WAS 6.8uF /DF10% L2 WAS 0.97mH/0.2R I-42 R2 WAS 2R7/5W	
C	18/02/10 MS	
	L2 WAS 1.0mH/0.2R I-42	
D	30/03/10 MS	
	WHITE WIRE WAS A BROWN WIRE - SUPPLIERS REQUEST	
E	13/10/10 MS	
	C1 WAS BENNIC XPP, LOCAL ALTERNATIVE FOUND	

FOR ESTIMATING PURPOSES ONLY  
NO TOOLING OR PRODUCTION  
PARTS TO BE MADE TO THIS  
DRAWING

**TANNOY.**

The contents, information and copyright of this document are the sole property of Tannoy Ltd and must not be published applied or copied without the express knowledge & permission of the owners.

MATERIAL

FINISH

ALL DIMENSIONS IN MILLIMETRES

Limits of tolerance unless stated:

One place of decimal dim.

Two places of decimal dim.

Holes 12.0mm dia & under

Holes over 12.0mm dia.

RoHS Compliant

Drawn

Checked

Approved

Scale